

<p style="text-align: center;">ELEUTHERA 60 STANDARD INVENTORY</p>
--

GENERAL CHARACTERISTICS:

LOA : 18.28 m
Bmax : 8.57 m
Draft : 1.45 m
Clearance : 24 m
Lightweight displacement of standard boat : 17 300 kg
Displacement under maximum load : 24 000 kg
Maximum load : 6 700 kg

Sail area :

- Genoa : 70 m² (approx.)
- Mainsail : 110 m² (approx.)

Engines : 2 x 75 Hp

Tank capacity :

Fresh water : 825 L (approx.)
Fuel : 600 L (approx.)

Boat EU certification . Category A : 12 persons, category B :12 persons, and category C : 20 persons

Architects : BERRET RACOUPEAU YACHT DESIGN

INTERIOR LAYOUT :**General :**

- Lining : Alcantara
- Douka woodwork
- Interior sole : wood effect laminate, black groove
- Leather bench seating
- Bultex foam mattresses

SALOON LAYOUT :**General :**

- Saloon accessed through double laminated glass sliding door
- Panoramic view through picture windows and aft-facing portholes
- Ventilation via 2 big front-opening hatches + 2 deck hatches on the roof
- Permanent natural ventilation by air duct in the anchor locker

Galley :

- U-shaped galley with full synthetic resin working top
- 2 stainless steel sinks, 300x300mm approx.
- Synthetic resin draining board around both sinks
- 1 vertically-accessed bin, bags removed from separate door
- Hot and cold pressurized water, mixer tap
- Pressurized salt water
- 1 stainless steel hob, 4 strong power gas burners
- 1 x 54 L stainless steel strong power gas oven
- 1 x 160 L stainless steel refrigerator
- Lots of cupboards and drawers
- Space allowed for large dishwasher (12 place settings)
- Bar with synthetic resin tray
- Halogen spot lighting
- Ventilation via hood above cooking hob

Dining area :

- 1 x 8-place bench seat,
- 1 wooden table to seat 10
- 1 drawer at either end of the bench seat
- Bookshelves behind the bench seat
- Lots of halogen spotlights and wall lights

Saloon area :

- 1 bench seat for 5 people
- 1 synthetic resin dining table

Chart table :

- Wooden chart table with leather pad
- Space for charts
- Large panel for electrical controls and navigational instruments
- Drawers under the chart table
- Spinning leather chair on stainless steel pedestal
- Reading light

INTERIOR LAYOUT :***MAESTRO VERSION : 1 owner's suite to port + 2 double cabins to starboard*****PORT HULL : 1 owner's suite**

Accessed through wooden door at the bottom of the companionway

Sleeping accommodation :

- Double bed, 1.60 / 1.20 x 2.00 approx. with access from either side (island bed) and slatted bed base
- 2 spacious drawers under the bed
- Lots of cupboards above the bed
- Ventilation via deck hatch
- Blinds and mosquito netting on deck hatches
- Large non-opening outer-facing picture window with wooden blinds
- Main lighting : 3 spotlights and 2 bedside reading lights

Saloon area :

- 2-seater bench seat
- Armchair
- Wooden desk with leather pad and space under lift-up front
- Drawers under desk
- Lots of cupboards and hanging space
- 2 coat hooks
- 1 non-opening outer-facing picture window with sliding wooden blinds
- Ventilation via 2 deck hatches + 1 escape hatch on underside of pod
- Blinds and mosquito netting on the deck hatches
- Main lighting - halogen spotlights and 1 bedside reading light

Separate MARINE TOILET

- Accessed through wooden door from the saloon area
- Hand operated marine toilet
- Pressurized hot and cold water, mixer tap
- Ventilation via 1 deck hatch
- Lighting - 2 waterproof spotlights

Bathroom area :

- Accessed by wooden door from saloon area
- Synthetic resin counter top with 1 built-in wrap-round light and mirror
- Bathroom accessories
- Spacious shelving
- Separate shower with hot and cold water, mixer tap
- Drainage by gravity to the waste water network
- Shower ventilated via 1 deck hatch
- Bathroom ventilated via 1 deck hatch
- 1 outer-facing picture window
- Lighting - 3 waterproof spotlights

Linen stowage :

- Access via wooden door in bathroom
- Lots of stowage space
- Space for 5kg washing machine and 5kg drier
- Ventilation via 1 deck hatch
- Lighting – 1 watertight spotlight

STARBOARD HULL : 2 double cabins

Access to starboard hull via staircase

Aft cabin :

- Access via wooden door in the passageway
- Double bed (1.60 / 1.20 x 2.00m approx.) with access from either side (island bed) and slatted bed base
- 2 spacious drawers under the bed
- Lots of cupboards and hanging space
- 2 coat hooks
- Ventilation via 2 deck hatches
- Large non-opening outer-facing picture window with sliding wooden blinds
- Blinds and mosquito netting on deck hatches
- Main lighting - 3 spotlights and 2 bedside reading lights

Aft bathroom :

- Private access through wooden door from the aft cabin
- Synthetic resin counter top with built in wash basin
- Hot and cold water, mixer tap, built in hand shower
- Shower with drainage to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder and + towel rail)
- Shelving above basin with mirror
- 1 non-opening outer-facing picture window
- Ventilation via 1 deck hatch
- Lighting - 2 watertight spotlights

Passageway :

- Storage volume 250 L cooled by 1 eutectic plaque
- Eutectic plaque energy supplied via 220V refrigeration system
- Refrigeration volume 450 L cooled by 1 eutectic plaque
- Eutectic plaque energy supplied via 1 refrigeration system 12V/220V coupled indirectly to engine
- Spacious cupboards with space for 5 kg washing machine and 5 kg clothes dryer
- Ventilation via 1 deck hatch + 1 escape hatch on underside of pod

Fore cabin :

- Accessed through wooden door in the passageway
- Double bed (1.35/1.10x2.00m approx.) with slatted bed base
- 2 big drawers under the bed
- 1 dressing table
- 1 hanging space and storage space
- Big non-opening outer-facing picture window with sliding wooden blinds
- Ventilation via 2 deck hatches
- 1 inner-facing porthole
- Blinds and mosquito nets on the deck hatches
- Main lighting - 2 halogen spotlights + 2 bedside reading lights

Forward bathroom :

- Private access from the cabin via wooden door
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap, built-in showerhead
- Shower drainage by gravity to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Shelving above basin with mirror
- 1 non-opening outer-facing picture window
- Ventilation via 1 deck hatch
- Lighting - 2 watertight spotlights

Forepeak :

- Accessed through deck hatch
- Sole
- Fully-painted, with gel-coat finish

ORCHESTRA VERSION: Owner's cabin – 3 guest cabins**PORT HULL : 1 owner's cabin + 1 guest cabin**

Staircase access to port hull.

Owner's cabin :

Accessed through wooden door in the passageway

Sleeping space :

- Double bed 1.55/1.20x2.00 approx. with access on either side (island bed) and slatted bed base
- 2 big drawers under the bed
- Lots of cupboard space above the bed
- Ventilation via deck hatch
- Blinds and mosquito nets on deck hatches
- Large non-opening outward-facing picture window with sliding wooden blinds
- Main lighting via 3 spotlights and 2 bedside reading lights

Saloon area :

- Wooden desk with leather pad and space under lift-up front
- Armchair
- Drawers under the desk
- Lots of cupboard space and hanging space
- 2 coat hooks
- Large mirror
- Ventilation via 2 deck hatches + 1 escape hatch on underside of pod
- Blinds and mosquito nets on the deck hatches
- 1 non-opening outer-facing picture window
- Main lighting - halogen spotlights and 1 desk reading light

Bathroom space :

- Access via wooden door in the owner's cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Big mirror above wash basin
- Separate shower with hot and cold water – mixer tap
- Drainage by gravity to waste water network
- Shower ventilation via deck hatch
- Bathroom ventilation via deck hatch
- Lighting - 2 watertight spotlights

Fore cabin :

- Access via wooden door in passageway
- Double bed (1.35/1.10x2.00m approx.) with slatted bed base
- 2 big drawers under the bed
- 1 hanging space and cupboards
- 1 dressing table
- Ventilation via 2 deck hatches
- Blinds and mosquito nets on the deck hatches
- Big non-opening outward-facing picture window with sliding wooden blinds
- 1 inward-facing porthole
- Main lighting - 2 halogen spotlights + 2 bedside reading lights

Forward bathroom :

- Private access via wooden door in fore cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap with built-in showerhead
- Shower drainage by gravity to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Shelving above washbasin with mirror
- Ventilation via 1 deck hatch
- 1 non-opening outward-facing picture window
- 2 watertight spotlights

Forepeak :

- Accessed by deck hatch
- Sole
- Fully-painted, with gel-coat finish

STARBOARD HULL : 2 guest cabins

Staircase access to starboard hull

Aft cabin :

- Accessed through wooden door in passageway
- Double bed (1.55/1.20x2.00m approx.) accessible from either side (island bed) and slatted bed base
- 2 big drawers under the bed
- Lots of cupboard space and hanging space
- 2 coat hooks
- Ventilation via 2 deck hatches
- Large non-opening outward-facing picture window with sliding wooden blinds
- Blinds and mosquito nets on deck hatches
- Main lighting – 3 spotlights and 2 bedside reading lights

Aft bathroom :

- Private access via wooden door in the aft cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap with built-in showerhead
- Shower with drainage by gravity to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Shelving above washbasin with mirror
- Ventilation via deck hatch
- 1 non-opening outward facing picture window
- 2 watertight spotlights

Passageway :

- Storage volume 250 L cooled by 1 eutectic plaque
- Eutectic plaque energy supplied via 220V refrigeration system
- Refrigeration volume 450 L cooled by 1 eutectic plaque
- Eutectic plaque energy supplied via 1 refrigeration system 12V/220V coupled indirectly to engine
- Spacious cupboards with space for 5 kg washing machine and 5 kg clothes dryer
- Ventilation via deck hatch + escape hatch on underside of pod
- 1 watertight spotlights

Fore cabin :

- Access via wooden door in passageway
- Double bed (1.35/1.10x2.00m approx.) with slatted bed base
- 2 big drawers under the bed
- 1 dressing table
- 1 hanging space and cupboards
- Ventilation via 2 deck hatches
- Blinds and mosquito nets on the deck hatches
- 1 outward-facing porthole
- 1 non-opening outward-facing picture window with sliding wooden blinds
- Main lighting via 2 halogen spotlights + 2 bedside reading lights

Forward bathroom :

- Private access via wooden door in fore cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap with built-in showerhead
- Shower drainage by gravity to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Shelving above washbasin with mirror
- Ventilation via 1 deck hatch
- 1 non-opening outward-facing picture window
- 2 watertight spotlights

Forepeak :

- Accessed by deck hatch
- Sole
- Fully-painted, with gel-coat finish

CONCERTO VERSION: Owner's cabin – 2 cabins with skipper**PORT HULL : 1 owner's cabin + 1 guest cabin**

Stairway access to port hull.

Owner's cabin :

Access through wooden door in the passageway

Sleeping accommodation :

- Double bed, 1.55 / 1.20 x 2.00 approx. with access from either side (island bed) and slatted bed base
- 2 spacious drawers under the bed
- Lots of cupboards above the bed
- Ventilation via deck hatch
- Blinds and mosquito netting on deck hatches
- Large non-opening outward-facing picture window with sliding wooden blinds
- Main lighting - 3 spotlights + 2 bedside reading lights

Saloon area :

- Wooden desk with leather pad and space under lift-up front
- Armchair
- Drawers under desk
- Lots of cupboards and hanging space
- 2 coat hooks
- Big mirror
- Ventilation via 1 deck hatch + 1 escape hatch on underside of pod
- Blinds and mosquito nets on the deck hatches
- 1 non-opening outward-facing picture window
- Main lighting - halogen spotlights + 1 desk reading light

Bathroom area :

- Accessed through wooden door in the owner's cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Big mirror above washbasin
- Separate shower with hot and cold water – mixer tap
- Drainage by gravity to waste water network
- Shower ventilation via deck hatch
- Bathroom ventilation via deck hatch
- Watertight spotlight

Fore cabin :

- Accessed through wooden door in the passageway
- Double bed (1.35/1.10x2.00m approx.) with slatted bed base
- 2 big drawers under the bed
- 1 hanging space and storage space
- 1 dressing table
- Ventilation via 2 deck hatches (+ 1 inward-facing porthole)
- Blinds and mosquito nets on the deck hatches
- 1 non-opening outward-facing picture window with sliding wooden blinds
- 1 inward-facing porthole
- Main lighting + 2 halogen spotlights + 2 bedside reading lights

Forward bathroom :

- Private access from the cabin via wooden door
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap, built-in showerhead
- Shower drainage by gravity to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Shelving above basin with mirror
- Ventilation via 1 deck hatch
- 1 non-opening outward-facing picture window
- Lighting + 2 watertight spotlights

Forepeak :

- Accessed through deck hatch
- Sole
- Fully-painted, with gel-coat finish

STARBOARD HULL : 1 skipper's cabin + 1 guest cabin + clothes washing area**Skipper's cabin :**

- Accessed through deck hatch and ladder
- Side-accessed single bed, can be made into a double bed (1.40x2.00 m approx.)
- Spacious cupboard under the bed

Skipper's bathroom :

- Private access through wooden door in skipper's cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap with built-in showerhead
- Shower with drainage by gravity to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Big mirror above wash basin
- Ventilation via 1 deck hatch
- 2 watertight spotlights

Passageway :

- Storage volume 250 L cooled by 1 eutectic plaque
- Eutectic plaque energy supplied via 1 refrigeration system 220V
- Refrigeration volume 450 L cooled by 1 eutectic plaque
- Eutectic plaque energy supplied via 1 refrigeration system 12V/220V coupled indirectly to engine
- Spacious cupboards
- 1 deck hatch + 1 survival hatch on underside of pod
- 1 non-opening outward-facing picture window
- Lighting - 1 spotlight

Clothes washing area :

- Accessed through wooden door in passageway
- L-shaped working top
- Lots of cupboard space
- Space for 5 kg washing machine and 5 kg clothes dryer
- Ventilation via deck hatch
- 1 non-opening outward-facing deck hatch
- Lighting - 1 spotlight

Fore cabin :

- Accessed through wooden door in the passageway
- Double bed (1.35/1.10x2.00m approx.) with slatted bed base
- 2 big drawers under the bed
- 1 hanging space and storage space
- 1 dressing table
- Ventilation via 2 deck hatches
- Blinds and mosquito nets on the deck hatches
- 1 big non-opening outwards-facing picture window with sliding wooden blinds
- Main lighting via 2 halogen spotlights + 2 bedside reading lights

Forward bathroom :

- Private access from the cabin via wooden door
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap, built-in showerhead
- Shower drainage by gravity to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Shelving above basin with mirror
- Ventilation via 1 deck hatch
- 1 non-opening outward-facing picture window
- Lighting - 2 watertight spotlights

Forepeak :

- Accessed through deck hatch
- Sole
- Fully-painted, with gel-coat finish

QUATUOR VERSION: 4 double cabins**PORT HULL : 2 double cabins**

Stairway access to port hull.

Aft cabin :

- Accessed through wooden door in passageway
- Double bed (1.55/1.20x2.00m approx.) accessible from either side (island bed) and slatted bed base
- 2 big drawers under the bed
- Lots of cupboard space and hanging space
- Ventilation via 2 deck hatches
- Large non-opening outward-facing picture window with sliding wooden blinds
- Blinds and mosquito nets on deck hatches
- Main lighting via 3 halogen spotlights and 2 bedside reading lights

Aft bathroom :

- Private access via wooden door in the aft cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap with built-in showerhead
- Shower with drainage by gravity to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Shelving above washbasin with mirror
- Ventilation via deck hatch
- 1 non-opening outward-facing picture window
- 2 watertight spotlights

Passageway :

- Set of cupboards
- 1 deck hatch
- 1 survival hatch on underside of pod

Fore cabin :

- Access via wooden door in passageway
- Double bed (1.35/1.10x2.00m approx.) with slatted bed base
- 2 big drawers under the bed
- 1 hanging space and stowage space
- 1 dressing table
- Ventilation via 2 deck hatches
- 1 interior porthole
- Blinds and mosquito net on the deck hatches
- 1 non-opening outward-facing picture window with sliding wooden blinds
- Main lighting via 2 halogen spotlights and 2 bedside reading lights

Forward bathroom :

- Private access via wooden door in fore cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap with built-in showerhead
- Shower drainage by gravity to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Shelving above washbasin with mirror
- Ventilation via 1 deck hatch
- Non-opening outward-facing picture window
- 2 watertight spotlights

Forepeak :

- Accessed by deck hatch
- Sole
- Fully-painted, with gel-coat finish

STARBOARD HULL : 2 guest cabins

Stairway access to starboard hull.

Aft cabin :

- Accessed through wooden door in passageway
- Double bed (1.55/1.20x2.00m approx.) accessible from either side (island bed) and slatted bed base
- 2 big drawers under the bed
- Lots of cupboard space and hanging space
- 2 coat hooks
- Ventilation via 2 deck hatches
- Blinds and mosquito nets on deck hatches
- Large non-opening outward-facing picture window with sliding wooden blinds
- Main lighting via 3 spotlights and 2 bedside reading lights

Aft bathroom :

- Private access via wooden door in the aft cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap with built-in showerhead
- Shower with drainage by gravity to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Shelving above washbasin with mirror
- Ventilation via deck hatch
- Non-opening outward-facing picture window
- 2 watertight spotlights

Passageway :

- Storage volume 250 L cooled by 1 eutectic plaque
- Eutectic plaque energy supplied via 1 refrigeration system 220V
- Refrigeration volume 450 L cooled by 1 eutectic plaque
- Eutectic plaque energy supplied via 1 refrigeration system 12V/220V coupled indirectly to engine
- Spacious cupboards with space for 5 kg washing machine and 5 kg clothes dryer
- Ventilation via deck hatch + 1 survival hatch on the underside of pod
- Lighting - 1 spotlight

Fore cabin :

- Access via wooden door in passageway
- Double bed (1.35/1.10x2.00m approx.) with slatted bed base
- 2 big drawers under the bed
- 1 hanging space and cupboards
- 1 dressing table
- Ventilation via 2 deck hatches
- Blinds and mosquito nets on the deck hatches
- 1 big non-opening outward-facing picture window with sliding wooden blinds
- 1 outward-facing porthole
- Main lighting via 2 halogen spotlights + 2 bedside reading lights

Forward bathroom :

- Private access via wooden door in fore cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap with built-in showerhead
- Shower drainage by gravity to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Shelving above washbasin with mirror
- Ventilation via 1 deck hatch
- 1 non-opening outward-facing picture window
- 2 watertight spotlights

Forepeak :

- Accessed by deck hatch
- Sole
- Fully-painted, with gel-coat finish

QUINTET VERSION: 4 double cabins with skipper**PORT HULL : 1 skipper's cabin + 2 double cabins**

Staircase access to port hull.

Skipper's cabin :

- Accessed through deck hatch and ladder
- Side-accessed single bed, can be made into a double bed (1.40x2.00 m approx.)
- Spacious cupboard under the bed

Skipper's bathroom :

- Private access through wooden door in skipper's cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap with built-in showerhead
- Shower with drainage by gravity to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Big mirror above wash basin
- Ventilation via 1 deck hatch
- 2 watertight spotlights

Aft cabin :

- Accessed via wooden door in the passageway
- 2 twin beds (0.70x2.00m approx.) with slatted bed base, can be made into a double bed
- 1 big drawer under each bed
- Hanging space and cupboards
- Ventilation via 2 deck hatches
- Blinds and mosquito nets on the deck hatches
- Main lighting via 3 spotlights and 2 bedside reading lights

Aft bathroom :

- Private access via wooden door in the aft cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap with built-in showerhead
- Shower with drainage by gravity to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Shelving above washbasin with mirror
- Ventilation via deck hatch
- 2 watertight spotlights

Fore cabin :

- Access via wooden door in passageway
- Double bed (1.35/1.10x2.00m approx.) with slatted bed base
- 2 big drawers under the bed
- 1 hanging space and cupboards
- 1 dressing table
- 1 inward-facing porthole
- Ventilation via 2 deck hatches
- Blinds and mosquito nets on the deck hatches
- Main lighting - 2 halogen spotlights + 2 bedside reading lights

Forward bathroom :

- Private access via wooden door in fore cabin
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap with built-in showerhead
- Shower drainage by gravity to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Shelving above washbasin with mirror
- Ventilation via 1 deck hatch
- 1 non-opening outward-facing picture window
- 2 watertight spotlights

Forepeak :

- Accessed by deck hatch
- Sole
- Fully-painted, with gel-coat finish

STARBOARD HULL : 2 guest cabins

Staircase access to starboard hull.

Aft cabin :

- Access via wooden door in the passageway
- Double bed (1.55 / 1.20 x 2.00m approx.) with access from either side (island bed) and slatted bed base
- 2 spacious drawers under the bed
- Lots of cupboards and hanging space
- 2 coat hooks
- Ventilation via 2 deck hatches
- Large non-opening picture window, external view
- Blinds and mosquito netting on deck hatches
- Main lighting - 3 spotlights and 2 bedside reading lights

Aft bathroom :

- Private access through wooden door from the aft cabin
- Synthetic resin counter top with built in wash basin
- Hot and cold water, mixer tap, built in hand shower
- Shower with drainage to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder and + towel rail)
- Shelving above basin with mirror
- Ventilation via 1 deck hatch
- Lighting - 2 watertight spotlights

Passageway :

- Storage volume 250 L cooled by 1 eutectic plaque
- Eutectic plaque energy supplied via 1 x 220V refrigeration system
- Refrigeration volume 450 L cooled by 1 eutectic plaque
- Eutectic plaque energy supplied via 1 refrigeration system 12V/220V coupled indirectly to engine
- Spacious cupboards with space for 5 kg washing machine and 5 kg clothes dryer

Fore cabin :

- Accessed through wooden door in the passageway
- Double bed (1.35/1.10x2.00m approx.) with slatted bed base
- 2 big drawers under the bed
- 1 hanging space and storage space
- 1 dressing table
- Ventilation via 2 deck hatches
- Blinds and mosquito nets on the deck hatches
- 1 outward-facing porthole
- Main lighting - 2 halogen spotlights + 2 bedside reading lights

Forward bathroom :

- Private access from the cabin via wooden door
- Synthetic resin counter top with built-in washbasin
- Hot and cold water, mixer tap, built-in showerhead
- Shower drainage by gravity to waste water network
- Hand-operated marine toilet
- Bathroom accessories (toilet paper holder + towel rail)
- Shelving above basin with mirror
- Ventilation via 1 deck hatch
- 1 non-opening outward-facing picture window
- Lighting - 2 watertight spotlights

Forepeak :

- Accessed through deck hatch
- Sole
- Fully-painted, with gel-coat finish

DECK LAYOUT :**Helming station :**

- Double helmsman seat
- Large instrument control panel
- Altuglas protective windshield

Cockpit :

- 1 « comfy » 3-person bench seat + 1 « comfy » 4-person bench seat, teak battens
- 1 fixed teak batten cockpit table
- 1 teak batten 6-person bench seat + 1 teak batten 2-person bench seat around the table, 2 teak outdoor chairs
- 1 locker in cockpit sole
- 2 very big lockers behind the 6-person bench seat with space to put a gas bottle
- 2 lockers for liferaft with direct access to the sea

Foredeck area :

- 1 big fore locker separated into 3 compartments (2 for mooring gear) with storage space for the mast for halyards at the foot of the mast
- Polyester locker cover on jack

2 technical holds aft :

- Accessed through polyester locker cover on jack in the cockpit
- Foredeck area with large reception panel for electrical equipment
- Aft area with space for generator, air-conditioning unit, water maker, compressor for scuba diving tanks...
- 2 neon lights

2 engine holds :

- independent engine compartment under aft technical hold sole
- access via 2 hinged panels
- high-performance sound proofing
- 1 neon light

ENGINES :**Engines and equipment :**

- 2 x 75 Hp engines
- High-resistance stainless steel direct transmission shafts
- V-shaped shaft bearing bracket
- 2 three-blade fixed propeller
- Salt water filters
- Engine cooled by exchanger
- Engine compartment ventilation natural intake of air + mechanical extraction of air
- Complete control panels and dual engine controls at helming station
- Engine hour meter

Diesel circuit :

- 1 x 600 L aluminum diesel tank filled directly via the locker in the cockpit sole
- Electrical gauge with indicator at chart table
- 1 diesel pre-filter water separator + engine diesel filter
- Diesel shot-off valve accessible via the locker in the cockpit sole

PLUMBING :

- Polypropylene freshwater tanks (3x275 L approx.) with 1 electric gauge (indicator at chart table)
- Twin electrical pump and pressurized water tank
- Dockside intake for direct connection to fresh water supply
- 2 x 40 L water heater
- 1 electrical bilge pump (5.4 m3/h) in each engine hold
- 1 independent electrical bilge pump (5.4 m3/h) in each float
- 4 x automatically starting bilge pumps with audible and visual alarm at the chart table
- 2 hand-operated external drying out pumps
- 1 dirty water collector in each float
- 2 electrical sewage drainage pumps, controlled automatically or manually (possibility of using both as bilge pumps)
- 2 back-up hand-operated sewage drainage pumps (possibility of using both as bilge pumps)

ELECTRICITY / ELECTRONICS :**Power circuit :**

- 1 port engine battery 100 Ah 12V + 1 starboard engine battery 100 Ah 12V
- 2 engine alternators 80 Ah 12V recharging these 2 engine batteries
- Back-up manual connection between both sets of engine batteries
- 1 set of batteries for on board energy supply to port 320 Ah 24V + 1 set of batteries for on board energy supply to starboard 320 Ah 24V
- 2 engine alternators 75 A 24V with high-performance adjustments recharging both sets of batteries for the energy supply on board
- Back-up manual connection between both sets of on board batteries
- Overall circuit protection via trip switch

Distribution 24V :

- Distribution decentralized from the 24V functions
- Protection via trip switches located in 5 watertight lockers
- 12V switchboard at the chart table with trip switch protection for functions requiring an on/off switch – pumps, sailing lights, electronics ...
- Free sockets for other equipment

Electronics :

- 1 complete navigation unit including, log, speedo, sounder, masthead fly and anemometer
- 1 V.H.F. masthead aerial
- 1 x 24V hydraulic pump for the automatic helm

RIGGING AND SAILS :**Mast and boom :**

- White lacquered aluminum mast and boom
- Full standing rigging
- Ball bearing slides on mainsail luff
- 1 mainsail halyard, twin-thread low-stretch cover
- 2 genoa halyards
- 1 spinnaker halyard
- 1 boom topping lift
- 3 reef lines
- 2 lazy-jacks
- 2 flag halyards
- Jammers on all halyards, reef lines and topping lift
- 1 electric size 46 self-tailing winch for mainsail halyard and reef lines, 1 size 44 self-tailing winch for genoa/spinnaker halyards
- Underway, running and anchorage lights
- Deck lighting

Sails

- Fully-battened mainsail and very high quality genoa jib
- Genoa roller furler

DECK GEAR :**Mainsail and genoa jib :**

- 1 mainsheet tackle with lead aft the cockpit
- 1 jammers for mainsheet
- 2 size 56 winches for mainsheet, gennaker and spinnaker
- 1 mainsail ball-bearing sheet traveler
- 2 x traveler trimming tackle on jammers
- Genoa sheet track traveler with lead block
- 2 genoa sheets
- 2 x size 64 winch for genoa

Other equipment :

- Hydraulic helming system with leather covered steering wheel helm, hand pump, 2 jacks
- 1 back-up tiller
- 1 steering compass
- 3 winch handles + 3 pockets
- Pushpits and pulpits, stanchions with upper and lower guardrails
- 2 Swedish pulpits
- Cockpit accessed gangway pushpits
- Teak battened aft skirt lower platform
- 1 swim ladder + 1 cold water shower in the port skirt
- 2 tender davits (300 kg max. load each) with jammers
- 1 size 16 self-tailing winch on starboard davit
- 7 mooring cleats (2 foredeck + 2 midships + 2 aft + 1 anchor locker)
- 1500 W electric windlass protected by trip switch
- Anchor exit under the pod with built-in bridle
- Fore beam in white lacquered aluminum
- Polyester catwalk with teak battens incorporating the jib boom
- Anchor accessed via teak deck hatch under the catwalk
- 1 mooring davit on fore beam
- 2 nets forwards + 2 Batyline overnets
- Kit of spare parts
- 2 layers of anti-fouling

STANDARD MANUFACTURERS USED :

- Engines : YANMAR
- Deck hatches and portholes : GOÏOT
- Mast : Z. DIFFUSION
- Sails : INCIDENCES
- Rollers : PROENGIN
- Winches, blocks, tracks and traveler cars : HARKEN
- Jammers : SPINLOCK
- Windlass : LOFRANS'
- Refrigeration systems : INDEL and C.L.D.
- Oven and cooking hob : DE DIETRICH
- Navigational unit : AUTOHELM

All dimensions are provided by way of indication only.